



Emery Oleochemicals has advanced global sustainability through over 60 years of innovation in ester technology. Our DEHYLUB® Esters are recognized globally for their technical performance and environmental-friendliness in hydraulic fluid applications.

These esters are suitable for use as base stocks for formulating both fire resistant (HFDU) and biodegradable (HEES) hydraulic fluids. We offer unsaturated and saturated base stocks to meet your specific application needs and requirements.


PRODUCT NAME	DESCRIPTION	KV @ 40°C (CST)	POUR POINT °C	FLASH POINT °C	APPROVALS*
DEHYLUB® 4022	Polyol Ester	18–20	< -50	> 250	LuSC-list
DEHYLUB® 4016	Polyol Ester	22–27	< -20	> 270	LuSC-list
DEHYLUB® 4030	Polyol Ester	42–50	< -40	> 310	LuSC-list
DEHYLUB® 4148	Polyol Ester	42–50	< -20	> 250	LuSC-list
DEHYLUB® 4071	Complex Ester	43–51	< -30	> 270	LuSC-list
DEHYLUB® 4050	Polyol Ester	60–67	< -15	> 300	–
DEHYLUB® 4060	Complex Ester	61.2–74.8	< -25	> 310	LuSC-list
DEHYLUB® 4087	Polyol Ester	95–105	< -30	> 300	LuSC-list
DEHYLUB® 4059	Complex Ester	105–120	< -40	> 270	LuSC-list
DEHYLUB® 4062	Complex Ester	125–165	< -25	> 300	LuSC-list
DEHYLUB® 4064	Complex Ester	288–352	< -25	> 300	LuSC-list
DEHYLUB® 4077	Complex Ester	288–352	< -25	> 260	LuSC-list
DEHYLUB® 4066	Complex Ester	612–748	< -20	> 300	LuSC-list

*LuSC: Lubricant Substance Classification


Technical Performance

Our DEHYLUB® Esters will support formulators to achieve friction reduction as demonstrated by the Stribeck curves measured by a Mini Traction Machine (MTM).

Stribeck Curve DEHYLUB® 4030



Stribeck Curve DEHYLUB® 4087



To request a sample or to learn more about our DEHYLUB® Esters, contact your nearest regional office.
 Americas: bl.americas@emeryoleo.com | Europe: bl.europe@emeryoleo.com | Asia: bl.asia@emeryoleo.com

Disclaimer: The content in this document is provided on an "as is" and "as available" basis purely for informational purposes and, unless and to the extent specifically agreed otherwise for a sales transaction, does not constitute any warranty, whether express, implied or statutory, including but not limited to warranties or guarantees of merchantability, fitness or suitability for a particular purpose nor any representations of a binding nature. EMERY OLEOCHEMICALS EXPRESSLY DISCLAIMS ANY RESPONSIBILITY FOR THE SUITABILITY OF THE PRODUCTS FOR ANY SPECIFIC OR PARTICULAR PURPOSES INTENDED BY THE USER. Suggestions for the use and application of the products and guide formulations are for informational purposes only and you are advised to carry out any necessary steps to test the suitability of the products for your intended processes and purposes. You are solely responsible for compliance with all applicable laws and regulations in use of the products including any third party intellectual property rights and shall bear all liability or risk arising from use of the products. All indications marked with a TM or ® symbol are trademarks belonging to legal entities within the Emery Oleochemicals group of companies.

Release 03/2022